

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

50 557 - Acrylic thickener

Article No.	50557	Issue date:	14.11.23
Version	5.1 (14.11.23)	Page	1 / 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name 50 557 - Acrylic thickener
REACH registration No. ---
UFI ---

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use
Products for creation of art.

Uses advised against

1.3 Details of the supplier of the safety data sheet

H. Schmincke & Co. GmbH & Co. KG
Otto-Hahn-Strasse 2
D-40699 Erkrath
Tel +49 (0) 211 - 2509 - 0
Fax +49 (0) 211 - 2509 - 479
info@schmincke.de
www.schmincke.de
Schmincke-lab:
mo-th 8.00-16.30, fr 8.00-13.30
tel. +49 (0) 211-2509-474
sdb@schmincke.de

1.4 Emergency telephone number

Emergencycall Berlin
+49 30-30686700
(24/7 counseling in german and english)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

2.2 Label elements

Labelling

Signal word ---

Hazard statements
no hazard labelling required

Safety precautions

Text for labelling (CLP)

Contains BIT, CIT, MIT, OIT. May produce an allergic reaction. (EUH208)
Full text of biocides: see section 16.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

50 557 - Acrylic thickener

Article No.	50557	Issue date:	14.11.23
Version	5.1 (14.11.23)	Page	2 / 9

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical characterisation

Water
Additive
CAS-Number ---
EINECS / ELINCS / NLP ---
EU index number ---
REACH registration No. ---
Hazchem-Code ---
CI-Number ---

3.2 Mixtures

Substance 1

2-amino-2-methyl-1-propanol: < 1 %
CAS: 124-68-5
REACH: 01-2119475788-16-XXXX
Aquatic Chronic 3; H412 / Eye Irrit. 2; H319 / Skin
Irrit. 2; H315

Additional information

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

If you feel unwell, seek medical advice (show the label where possible).

In case of inhalation

Provide fresh air. Seek medical attention if problems persist.

In case of skin contact

Remove residues with soap and water. In case of skin irritation, consult a physician.

After eye contact

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 10 - 15 minutes. Seek medical attention if irritation persists.

After swallowing

Rinse mouth with water. Seek medical treatment in case of troubles.

4.2 Most important symptoms and effects, both acute and delayed

No data available

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Extinguishing media which must not be used for safety reasons

strong water jet

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

50 557 - Acrylic thickener

Article No.	50557	Issue date:	14.11.23
Version	5.1 (14.11.23)	Page	3 / 9

5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Special protective equipment for firefighters

Use appropriate respiratory protection.

Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing.

6.2 environmental precautions

Discharge into the environment must be avoided.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

Collect spilled material using paper towels and dispose.

Additional information

6.4 Reference to other sections

Dispose of waste according to applicable legislation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Handle in accordance with good industrial hygiene and safety practice.

Precautions against fire and explosion

No special measures are required.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers

Store in a well-ventilated place. Keep container tightly closed. Keep away from sources of ignition and heat.

Hints on joint storage

Storage class

Further details

Protect from frost and exposure to sun.

7.3 Specific end use(s)

No special measures necessary if stored and handled as prescribed.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

124-68-5 2-amino-2-methyl-1-propanol

DEU	WEL	1,000	ppm	-
DEU	WEL	3,700	mg/m ³	2(II); AGS

8.2 Exposure controls

Occupational exposure controls

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

50 557 - Acrylic thickener

Article No.	50557	Issue date:	14.11.23
Version	5.1 (14.11.23)	Page	4 / 9

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. Respiratory protection must be worn whenever the WEL levels have been exceeded.

Hand protection

Protective gloves

Qualified materials: Fluororubber (Viton)

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection

Goggles

Body protection

Wear suitable protective clothing.

General protection and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands thoroughly after handling.

SECTION 9: Physical and chemical properties

9.1 information on basic physical and chemical properties

Form	liquid
Colour	whitish
Odour	almost odourless

	min	max		
Melting point/freezing point	---	---		
Initial boiling point and boiling range	~ 100 °C	---		
Flammability	---	---		
Explosion limits	---	---		
Flash point/flash point range	---	---		
Ignition temperature	---	---		
PH	8,5	9,5	---	---
Viscosity	---	---	---	---
Solubility		---	---	---
Partition coefficient: n-octanol/water		---		
Vapour pressure		---	---	---
Density and/or relative density		1,02 g/ml	20 °C	---
Relative vapour density	---	---	---	---
Auto-ignition temperature	---	---	---	---
Refraction index	---	---	---	---

Danger of explosion

9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity

Product is stable under normal storage conditions.

10.2 Chemical stability

Product is stable under normal storage conditions.

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

Protect from frost and exposure to sun.

10.5 Incompatible materials

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

50 557 - Acrylic thickener

Article No.	50557	Issue date:	14.11.23
Version	5.1 (14.11.23)	Page	5 / 9

10.6 Hazardous decomposition products

Hazardous vapours may form during fires.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological tests

124-68-5 2-amino-2-methyl-1-propanol

oral	LD50	Rat		2150,00000	mg/kg	-
dermal	LD50	Rabbit	>	2000,00000	mg/kg	-

Toxicokinetics, metabolism and distribution

Acute toxicity

No data available

In case of inhalation

No data available

After swallowing

No data available

In case of skin contact

No data available

After eye contact

No data available

Practical experience

General remarks

11.2 Information on other hazards

SECTION 12: Ecological information

12.1 Toxicity

Ecotoxicological effects

124-68-5 2-amino-2-methyl-1-propanol

LC50	Daphnia magna (Big water)	193,00000	mg/L	(96h)
------	---------------------------	-----------	------	-------

Aquatic toxicity

No data available

Water Hazard Class

-

WGK catalog number

General information

12.2 Persistence and degradability

Further details

Product is partially biodegradable.

Oxygen demand

12.3 Bioaccumulative potential

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

50 557 - Acrylic thickener

Article No.	50557	Issue date:	14.11.23
Version	5.1 (14.11.23)	Page	6 / 9

Bioconcentration factor (BCF)

Partition coefficient: n-octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Endocrine disrupting properties

12.7 Other adverse effects

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number

080 112 080112 waste paint and varnish other than those mentioned in 080111

Recommendation

Package

Waste key number

Recommendation

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

Additional information

SECTION 14: Transport information

14.1 UN number or ID number

14.2 UN proper shipping name

ADR, ADN No dangerous good in sense of these transport regulations.

IMDG, IATA ---

14.3 Transport hazard class(es)

ADR, ADN ---

IMDG ---

IATA ---

14.4 Packing group

14.5 Environmental hazards

Marine Pollutant - IMDG ---

Marine Pollutant - ADN ---

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

50 557 - Acrylic thickener

Article No.	50557	Issue date:	14.11.23	
Version	5.1	(14.11.23)	Page	7 / 9

14.6 Special precautions for user

Land transport (ADR/RID)

Code: ADR/RID	---
Kemmler-number	---
Hazard label ADR	---
Limited quantities	---
Package: Instructions	---
Package: Special Provisions	---
Special provisions for packing together	---
Portable tanks: Instructions	---
Portable tanks: Special Provisions	---
Tank coding	---
Tunnel restriction	---
Remarks	---
EQ	---
Special Provisions	---

Sea transport (IMDG)

EmS	---
Special Provisions	---
Limited quantities	---
Package: Instructions	---
Package: Special Provisions	---
IBC: Instructions	---
IBC: Provisions	---
Tank instructions IMO	---
Tank instructions UN	---
Tank instructions Special Provisions	---
Stowage and segregation	---
Properties and observations	---
Remarks	---
EQ	---

Air transport (IATA-DGR)

Hazard	---
Passenger	---
Passenger LQ	---
Cargo	---
ERG	---
Remarks	---
EQ	---
Special Provisioning	---

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Europe

Contents of VOC [%]	---
Contents of VOC	---
[g/L]	
Further regulations, limitations and legal requirements	---

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

50 557 - Acrylic thickener

Article No.	50557	Issue date:	14.11.23
Version	5.1	Page	8 / 9

Germany

Storage class ---
Water Hazard Class -
WGK catalog number ---
Incident regulation ---
Information on working limitations ---
Further regulations, limitations and legal requirements ---

Switzerland

Contents of VOC [%]
0 %
Further regulations, limitations and legal requirements ---

USA

Further regulations, limitations and legal requirements ---
Federal Regulations ---
State Regulations ---

Canada

Further regulations, limitations and legal requirements ---

15.2 Chemical Safety Assessment

SECTION 16: Other information

Further information

Hazard statements (CLP)
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H412 Harmful to aquatic life with long lasting effects.

Further information

This information is based on our current state of knowledge and describes the security standards applicable to our product for the purpose provided. The information provided here does not constitute a legally binding warranty of specific characteristics or of suitability for a specific application use of the product is thus to be adapted to the user's special conditions and checked by preliminary tests. We are thus unable to guarantee product characteristics or accept an liability for damage arising in connection with the use of our products.

Literature

REGULATION (EU) 2021/849 - ATP 17

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Reason of change

Additional information

BIT - 1,2-benzisothiazol-3(2H)-one
CIT - 5-chloro-2-methyl-4-isothiazolin-3-one
MIT - 2-methyl-2H-isothiazol-3-one
OIT - 2-octyl-2H-isothiazol-3-one

